

6IA EX PROOF ALUMINUM SCREW TOP HEAD (FM & CSA)

#1	DESCRIPTION																														
6IA	EXPLOSION PROOF ALUMINUM SCREW TOP HEAD (FM & CSA)																														
	<table border="1"> <thead> <tr> <th>#2</th> <th>Terminal Block</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6G4Z < 20 AWG 2, 3, 4 WIRE</td> </tr> <tr> <td>2</td> <td>6G6Z < 20 AWG 6 WIRE</td> </tr> <tr> <td>3</td> <td>6BB4 2, 3, 4 WIRE BAKELITE</td> </tr> <tr> <td>4</td> <td>6BB6 6 WIRE BAKELITE</td> </tr> <tr> <td>5</td> <td>6C8 8 WIRE</td> </tr> <tr> <td>5B</td> <td>6B8 < 20 AWG 8 WIRE (STD FOR DUAL 4 WIRE RTDS)</td> </tr> <tr> <td>6</td> <td>6C6 WITH PINS</td> </tr> <tr> <td>7</td> <td>6G2B > 14 AWG 2 WIRE (STD FOR SINGLE 8 & 14 AWG BEADED THERMOCOUPLES)</td> </tr> <tr> <td>8</td> <td>6G4 > 14 AWG 4 WIRE (STD FOR DUAL 8 & 14 AWG BEADED THERMOCOUPLES)</td> </tr> <tr> <td>9</td> <td>6B4 <20 AWG 2, 3, 4 WIRE (LEGACY)</td> </tr> <tr> <td></td> <td> <table border="1"> <thead> <tr> <th>#3</th> <th>NONSTANDARD THREADS (OPTIONAL -- LEAVE BLANK IF N/A)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>1/2" X 1/2" NPT (6IA12)</td> </tr> <tr> <td>B</td> <td>3/4" X 3/4" (6IA34)</td> </tr> </tbody> </table> </td> </tr> </tbody> </table>	#2	Terminal Block	1	6G4Z < 20 AWG 2, 3, 4 WIRE	2	6G6Z < 20 AWG 6 WIRE	3	6BB4 2, 3, 4 WIRE BAKELITE	4	6BB6 6 WIRE BAKELITE	5	6C8 8 WIRE	5B	6B8 < 20 AWG 8 WIRE (STD FOR DUAL 4 WIRE RTDS)	6	6C6 WITH PINS	7	6G2B > 14 AWG 2 WIRE (STD FOR SINGLE 8 & 14 AWG BEADED THERMOCOUPLES)	8	6G4 > 14 AWG 4 WIRE (STD FOR DUAL 8 & 14 AWG BEADED THERMOCOUPLES)	9	6B4 <20 AWG 2, 3, 4 WIRE (LEGACY)		<table border="1"> <thead> <tr> <th>#3</th> <th>NONSTANDARD THREADS (OPTIONAL -- LEAVE BLANK IF N/A)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>1/2" X 1/2" NPT (6IA12)</td> </tr> <tr> <td>B</td> <td>3/4" X 3/4" (6IA34)</td> </tr> </tbody> </table>	#3	NONSTANDARD THREADS (OPTIONAL -- LEAVE BLANK IF N/A)	A	1/2" X 1/2" NPT (6IA12)	B	3/4" X 3/4" (6IA34)
#2	Terminal Block																														
1	6G4Z < 20 AWG 2, 3, 4 WIRE																														
2	6G6Z < 20 AWG 6 WIRE																														
3	6BB4 2, 3, 4 WIRE BAKELITE																														
4	6BB6 6 WIRE BAKELITE																														
5	6C8 8 WIRE																														
5B	6B8 < 20 AWG 8 WIRE (STD FOR DUAL 4 WIRE RTDS)																														
6	6C6 WITH PINS																														
7	6G2B > 14 AWG 2 WIRE (STD FOR SINGLE 8 & 14 AWG BEADED THERMOCOUPLES)																														
8	6G4 > 14 AWG 4 WIRE (STD FOR DUAL 8 & 14 AWG BEADED THERMOCOUPLES)																														
9	6B4 <20 AWG 2, 3, 4 WIRE (LEGACY)																														
	<table border="1"> <thead> <tr> <th>#3</th> <th>NONSTANDARD THREADS (OPTIONAL -- LEAVE BLANK IF N/A)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>1/2" X 1/2" NPT (6IA12)</td> </tr> <tr> <td>B</td> <td>3/4" X 3/4" (6IA34)</td> </tr> </tbody> </table>	#3	NONSTANDARD THREADS (OPTIONAL -- LEAVE BLANK IF N/A)	A	1/2" X 1/2" NPT (6IA12)	B	3/4" X 3/4" (6IA34)																								
#3	NONSTANDARD THREADS (OPTIONAL -- LEAVE BLANK IF N/A)																														
A	1/2" X 1/2" NPT (6IA12)																														
B	3/4" X 3/4" (6IA34)																														

